

CORRIGENDUM

Corrigendum: γ -lonylidene-type sesquiterpenoids possessing antimicrobial activity against *Porphyromonas gingivalis* from *Phellinus linteus* and their absolute structure determination

Tatsuya Shirahata, Chieko Ino, Fumi Mizuno, Yoshihisa Asada, Masao Hirotani, George A Petersson, Satoshi Ōmura, Takafumi Yoshikawa and Yoshinori Kobayashi

The Journal of Antibiotics (2017) 70, 979; doi:10.1038/ja.2017.71

Correction to: *The Journal of Antibiotics* (2017) 70, 695–698. The authors of the above article noted an error in publication of this paper in Table 1, whereby the wrong data were used for compound 1. The corrected data of compound 1 in Table 1 are shown below.

Table 1 NMR spectroscopic data (400 MHz, CDCl₃) of compounds (–)-*trans*- γ -monocyclofarnesol (1), (+)- γ -lonylideneacetic acid (2) and Phellidene E (3)

Atom	1		2		3	
	¹ H	¹³ C	¹ H	¹³ C	¹ H	¹³ C
1		34.8		35.6		35.9
2	1.20 ddd (12.5, 9.5, 5.0) 1.44m	36.2	1.35 ddd (14.0, 8.5, 5.5), 1.50 ddd (14.0, 5.5, 5.5)	39.0	1.36 ddd (13.0, 7.0, 6.0) 1.50m	39.1
3	1.50m	23.6	1.59m	23.2	1.57m	23.4
4	2.00m	32.4	2.05 ddd (13.5, 8.5, 5.5) 2.28 ddd (13.5, 5.5, 5.5)	34.4	2.03 ddd (13.5, 7.0, 6.0) 2.14 ddd (13.5, 6.0, 5.5)	35.1
5		149.1		149.6		148.0
6	1.68 dd (11.5, 3.5)	53.7	2.55 d (9.5)	58.0	1.53 bd (8.5)	57.2
7	1.48m 1.56m	24.5	6.31 dd (15.5, 9.5)	137.3	2.92 dd (8.5, 2.0)	60.5
8	1.77ddd (13.5, 10.5, 6.0) 1.96m	38.0	6.14 d (15.5)	135.3	3.04 dd (2.0, 1.0)	59.3
9		140.4		154.9		157.6
10	5.39 tq (7.0, 1.0)	122.9	5.75 bs	117.5	5.94 dq (1.0, 1.0)	115.4
11	4.12 d (7.0)	59.3		172.9		171.9
12	0.90s	28.3	0.90s	29.4	1.04s	29.1
13	0.82s	26.2	0.84s	23.6	0.99s	23.8
14	4.53 d (2.5) 4.75 ddd (2.5, 1.0, 1.0)	109.0	4.54 d (1.5) 4.76 d (1.5)	109.0	4.52 d (1.0) 4.80 dd (1.0, 1.0)	109.2
15	1.66 d (1.0)	16.4	2.33s	14.2	2.11 d (1.0)	15.0